


Product Name

### AMPHOSOL<sup>®</sup> CA

Chemical Structure



Chemical Description

AMPHOSOL CA is a mild amphoteric surfactant derived from coco-methyl esters.

CAS Registry No.

61789-40-0

INCI Name

Cocamidopropyl Betaine

Applications

Functional Properties

- Primary or secondary surfactant
- Foam booster
- Compatible with anionics, nonionics and cationics
- Viscosity builder
- Antistatic Agent

End Product Uses

- Bubble Baths
- Hair Conditioners
- Shampoos
- Baby Products
- Pet Shampoos
- Hand Soaps
- Cleansing Creams & Lotions
- Shower Gels
- Cream Rinses

Typical Properties

Appearance at 25°C.....	Clear liquid	Actives, % .....	30
Solids, % .....	35	Sodium Chloride, %.....	5.2
pH, 10% aqueous .....	4.5 - 7.0	Color, APHA.....	250 max.
Cloud Point (as is), °C (°F).....	-5 (23)	Viscosity at 25°C, cps.....	16
Pour Point, °C (°F).....	-5 (23)	Density, g/ml (lbs/U.S. gal).....	1.043 (8.7)
Flash Point (PMCC), °C (°F).....	>94 (>201)	RVOC, U.S. EPA, %.....	0
Boiling Point, °C (°F).....	>100 (>212)	Freeze Point, °C (°F).....	-8 (18)
Preservative .....	DMDM Hydantoin		

Biodegradability

Product is biodegradable. Additional information is available upon request.

Toxicity

AMPHOSOL CA is slightly to practically non-toxic orally (LD<sub>50</sub> = 5 g/kg) and causes moderate eye and mild skin irritation at 10% active.

Storage & Handling

Normal safety precautions (i.e. gloves and safety goggles) should be employed when handling AMPHOSOL CA. Contact with the eyes and prolonged contact with the skin should be avoided. Wash thoroughly after handling material.

It is recommended that AMPHOSOL CA be stored in sealed containers and kept at temperatures between 40°F (4°C) and 120°F (49°C). Avoid overheating or freezing. If material is frozen, mild heat and agitation are recommended to ensure the material is homogeneous before use.

Standard Packaging: AMPHOSOL CA is available in bulk and 55 gallon drums (net weight 450 lb/204 kg).

Clearances

All components of AMPHOSOL CA are listed in the following countries; the Inventory Registration Number of the active ingredient is included in parentheses: United States (TSCA 61789-40-0), Canada (DSL 61789-40-0), Europe ( 61789-40-0, 263-058-8), Korea (ECL 61789-40-0, KE-01243), Japan (ENCS 61789-40-0, 2-1290), Australia (AICS 61789-40-0), Philippines (PICCS 61789-40-0), China (IECSC 61789-40-0), New Zealand (NZIoC 61789-40-0).

AMPHOSOL<sup>®</sup>, BIO-TERGE<sup>®</sup>, and STEOL<sup>®</sup> are registered trademarks of Stepan Company.



Clearances

AMPHOSOL CA meets DfE screen and is listed on [www.cleangredients.org](http://www.cleangredients.org) (an on-line database for green formulators). For further information, visit [www.cleangredients.org](http://www.cleangredients.org). Additional Stepan ingredient listing can be found at [www.stepan.com](http://www.stepan.com).

Formulations

<u>Ingredients</u>	<u>Wt, % (as is)</u>	<u>Function</u>
BIO-TERGE® AS-40 CG	24.0	Primary Surfactant
AMPHOSOL CA	4.0	Viscosity Builder/Foam Booster
Hydroxyethylcellulose	0.4	Thickener
Citric Acid (50%)	q.s.	pH Adjuster
Fragrance, Dye, Preservative	q.s.	
D.I. Water	q.s. to 100.0	Solvent, Carrier

**Mixing Procedure:**

Disperse Hydroxyethylcellulose in D.I. Water and heat to 42°C. Mix until completely dispersed. Add BIO-TERGE AS-40 and AMPHOSOL CA and blend until clear. Adjust pH to 6.5 - 7.5 with citric acid. Add fragrance, dye and preservative, if desired.

**Physical Properties:**

Appearance at 25°C..... clear liquid  
pH (as is)..... 6.5-7.5

<u>Ingredients</u>	<u>Wt, % (as is)</u>	<u>Function</u>
STEOL® CS-130	75.0	Primary Surfactant
AMPHOSOL CA	6.6	Secondary Surfactant
Citric Acid (50%)	q.s.	pH Adjuster
Fragrance, Dye, Preservative	q.s.	
Sodium Chloride	q.s.	Viscosity Adjuster
D.I. Water	q.s. to 100.0	Solvent, Carrier

**Mixing Procedure:**

To D.I. Water, add STEOL CS-130 and AMPHOSOL CA, mixing well after each addition. Adjust pH to 6.5 - 7.5 with citric acid. Add fragrance, dye and preservative, if desired. Adjust to desired viscosity with sodium chloride.

**Physical Properties:**

Appearance at 25°C..... clear gel  
pH (as is)..... 6.5-7.5

Additional  
Safety  
Information

A Material Safety Data Sheet is available upon request.

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.



**Corporate Headquarters**  
**Northfield, Illinois 60093, U.S.A.**  
**847-446-7500 847-501-2100 fax**  
**Website: [www.stepan.com](http://www.stepan.com)**

For Technical Service Call: Northfield, IL USA 800-745-7837  
Longford Mills, Canada 705-326-7329 • Mexico City, Mexico +52-555-533-1697  
Voreppe, France +33-476-505-100 • Bogota, Colombia +57-1-6362808  
Stalybridge, United Kingdom +44-141-338-9083  
Manila, Philippines +632-891-1708

