

# **Benzyl Alcohol** CAS No 100-51-6

# MATERIAL SAFETY DATA SHEET SDS/MSDS

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers** 

> Product name Benzyl Alcohol

CAS-No. : 100-51-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Aroma chemicals & for professional use only.

1.3 Details of the supplier of the safety data sheet

> Company Chanjao Longevity Co., Ltd.

> > 50 Ramindra 14 Bangkok Thailand

+66 2 002 7 002 Telephone

Email care@myskinrecipes.com

1.4 **Emergency telephone number** 

> Emergency Phone # +66 2 002 7 002 [Office hours]

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xn R20/22

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word

Warning SMINIM

Hazard statement(s)

Harmful if swallowed or if inhaled H302 + H332 H319 Causes serious eye irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/ physician if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Benzenemethanol

Formula : C7H8O

Molecular weight : 108,14 g/mol

CAS-No. : 100-51-6

EC-No. : 202-859-9

Index-No. : 603-057-00-5

Registration number : 01-2119492630-38-XXXX

### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Benzyl alcohol

CAS-No. 100-51-6 Acute Tox. 4; Eye Irrit. 2; H302 <= 100 %

EC-No. 202-859-9 + H332, H319

Index-No. 603-057-00-5

### Hazardous ingredients according to Directive 1999/45/EC

Component Classification Concentration

Benzyl alcohol

CAS-No. 100-51-6 Xn. R20/22 <= 100 %

EC-No. 202-859-9 Index-No. 603-057-00-5

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Handle and store under inert gas. hygroscopic

Storage class (TRGS 510): Combustible liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

b)

Odour

boiling range

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear Colour: colourless

No data available

Odour Threshold No data available c) d) pΗ No data available

Melting point/freezing Melting point/range: -16 - -13 °C e) point

Initial boiling point and 203 - 205 °C

Flash point 96 °C - closed cup

**Evaporation rate** No data available h) i) Flammability (solid, gas) No data available No data available

Upper/lower flammability or explosive limits

Vapour pressure 5,00 hPa at 77 °C

17.7 hPa at 100 °C 0,125 hPa at 25 °C

Vapour density 3,73 - (Air = 1.0)I) 1,045 g/mL at 25 °C m) Relative density

33 g/l at 20 °C n) Water solubility

log Pow: 1,1log Pow: 1,05 at 20 °C Partition coefficient: noctanol/water

n) Water solubility 33 g/l at 20 °C

o) Partition coefficient: n-

octanol/water

log Pow: 1,1log Pow: 1,05 at 20 °C

p) Auto-ignition

temperature

No data available

No data available

q) Decomposition temperature

No data avallable

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

### 9.2 Other safety information

Surface tension 39 mN/m at 20 °C Relative vapour density 3,73 - (Air = 1.0)

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

hygroscopic

Stable under recommended storage conditions.

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

A mixture of benzyl alcohol and 58% sulfuric acid decomposed violently when heated to 180°C. Benzyl alcohol containing 1.4% hydrogen bromide and 1.1% of an iron(II) salt polymerized exothermally when heated above 100°C.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 1.230 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Excitement. Behavioral:Coma.

LD50 Oral - Rat - male - 1.620 mg/kg

Dermal: No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h (OECD Test Guideline 405)

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: DN3150000

Central nervous system depression

Liver - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 10 mg/l - 96 h

LC50 - Pimephales promelas (fathead minnow) - 460 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 55 mg/l - 24 h

- Daphnia magna (Water flea) - 230 mg/l - 48 h

(OECD Test Guideline 202)

### 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 92 - 96 % - Readily biodegradable

aerobic Biochemical oxygen demand - Exposure time 7 d

Result: 92 - 96 % - Readily biodegradable

(OECD Test Guideline 301C)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Toxic to aquatic life.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: - IMDG: - IATA: 3334

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods

IATA: Aviation regulated liquid, n.o.s. (Benzyl alcohol)

### 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: 9

### 14.4 Packaging group

ADR/RID: - IMDG: - IATA: III

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Eye irritation
Harmful if swallowed. Eye Irrit. H302

H302 + H332 Harmful if swallowed or if inhaled Causes serious eye irritation. H319

# Full text of R-phrases referred to under sections 2 and 3

Xn Harmful

R20/22 Harmful by inhalation and if swallowed.