

MATERIAL SAFETY - Siliwax Melt

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY INFORMATION

Product Name: Siliwax Melt

Supplier: Chanjao Longevity Co., Ltd. 50 Ramindra 14, Bangkok 10230 Thailand

Emergency Phone No.: +662-002-7-002

Fax No.: +662-001-7-022

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Composition (%)
STEARYL DIMETHICONE	67762-83-8	75-90%
OCTADECENE	112-88-9	10-25%

Hazard Symbols: Not listed

Risk Phrases: Not listed

3. HAZARD IDENTIFICATION

This product is not known to be hazardous but, as with all chemicals handle with care.

Potential Health Effects

Eye: Solid material is not expected to be irritant. However, vapors from molten wax may irritate.

Skin: Solid material is not expected to be irritant. However, vapors from molten wax may irritate.

Ingestion: Non-toxic.

Inhalation: Over-exposure may cause irritation on nose and throat.

4. FIRST AID MEASURES

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Skin Contact: Flush skin with plenty of soap and water – get medical attention if irritation occurs.

Inhalation: Remove to fresh air

Ingestion: Seek immediate medical attention if swallowed.

MATERIAL SAFETY - Siliwax Melt

5. FIRE FIGHTING MEASURES

General Information:

Material is not flammable but may be combustible at high temperature.

Extinguishing Media:

Dry Chemical, Sand, Carbon Dioxide, Foam.

6. ACCIDENTAL RELEASE MEASURES

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb into absorbent material. Wash area with soap and water.

7. HANDLING AND STORAGE

Handling:

Keep away from light and heat.

Storage:

Store in room temperature, kept container tightly closed. Do not expose to sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protection:

Eyes: Safety glasses.

Skin: Lab gloves.

Clothing: Lab clothes not required but recommend.

Respirators: Not needed under normal conditions of use.

MATERIAL SAFETY - Siliwax Melt

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid (20C)
Color:	Colorless
Odor:	Little / characteristics
Flash Point:	Not available
Auto-ignition Temperature:	Not available
Solubility in water:	Not available
Melting Point:	30 Degree C
Density:	0.8 g/cm ³
Viscosity (Kinematic):	281 mm ² /s at 40C
Viscosity (Dynamic):	225 mPa.s. at 40C

10. STABILITY AND REACTIVITY

Stability:

Stable under normal conditions of storage and handling.

Conditions to Avoid:

Incompatible materials listed below. Avoid all possible sources of ignition.

Incompatibilities:

Oxidizing agents, strong acids, strong alkalis, excessive heat or light

11. TOXICOLOGICAL INFORMATION

Substance is generally non-toxic and non-irritant. Toxicology profile has not been fully investigated.

LD50/LC50: Oral Rat >10,000mg/kg, Dermal Rabbit >2,000mg/kg

Carcinogenicity: Not available.

12. ECOLOGICAL INFORMATION

Not available.

MATERIAL SAFETY - Siliwax Melt

13. DISPOSAL CONSIDERATION

Waste from Residue/Unused Products:

Dispose of in a manner consistent with federal, state, and local regulations.

This compound is NOT on the EPA Toxic Substances Control Act (TSCA) inventory list.

14. TRANSPORT REGULATIONS

IATA No information available.

IMO No information available.

RID/ADR No information available.

15. REGULATORY INFORMATION

This material is intended to be used as a cosmetic ingredient.

Hazard Symbol(s): Not available.

Risk Phrase(s): Not available.

16. OTHER INFORMATION

The information provided in this material safety data sheet is correct to the best of our knowledge. No warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Chanjao Longevity assumed no responsibility for any personal injury or property damage caused by the materials. Users assume all risks associated with the use of the materials.
