

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY INFORMATION

Product Name: Hydroxypropyl Beta Cyclodextrin

Supplier: Chanjao Longevity Co., Ltd. 375 Pattanakarn Road, Bangkok 10250 Thailand

Emergency Phone No.: +662-300-3666

Fax No.: +662-717-7176

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Composition (%)
beta Cyclodextrin, 2-hydroxypropyl ether	128446-35-5	100%

Hazard Symbols: Not listed Risk Phrases: Not listed

3. HAZARD IDENTIFICATION

The toxicological properties of this material have not been fullyinvestigated.

Potential Health Effects

Eye: May causes eye irritation.
Skin: Possible allergic reaction.
Ingestion: Possible allergic reaction.
Inhalation: Possible allergic reaction

Chronic: Not available.

4. FIRST AID MEASURES

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper

and lower eyelids.

Skin Contact: Flush skin with plenty of soap and water for at least 15 minutes while removing

contaminated clothing and shoes.

Inhalation: Remove from exposure and move to fresh air immediately.

Ingestion:Get medical aid. Wash mouth out with water.Notes to Physician:Treat symptomatically and supportively.



5. FIRE FIGHTING MEASURES

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Extinguishing Media:

Use water spray, dry chemical, carbon dioxide, or chemical foam.

6. ACCIDENTAL RELEASE MEASURES

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Vacuum or sweep up material and place into a suitable disposal container.

7. HANDLING AND STORAGE

Handling:

Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes.

Storage:

Store in a tightly closed container. Store in a dry area. Keep refrigerated. (Store between 4-8 °C.)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Control:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Personal Protection:

Eyes: Wear chemical goggles.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear a chemical apron.

Respirators: A NIOSH/MSHA approved air purifying dust or mist respirator or European

Standard EN 149.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder

Color: White to off-white Odor: Not available. рΗ Not available. Vapor Pressure: Not available. Viscosity: Not available. **Boiling Point:** Not available. Freezing/Melting Point: 305 deg C **Autoignition Temperature:** Not available. Flash Point: Not available. Solubility in water: Soluble Specific Gravity/Density: Not available.

10. STABILITY AND REACTIVITY

Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials,.

Incompatibilities:

Oxidizing agents, excessive heat or light

Hazardous Polymerization:

Has not been reported.

11. TOXICOLOGICAL INFORMATION

RTECS#: GU2293332. LD50/LC50: Not available. Carcinogenicity: Not available.

12. ECOLOGICAL INFORMATION

No data available.



13. DISPOSAL CONSIDERATION

Waste from Residue/Unused Products:

Dispose of in a manner consistent with federal, state, and local regulations.

This compound is ON the EPA Toxic Substances Control Act (TSCA) inventory list.

14. TRANSPORT REGULATIONS

IATA No information available.IMO No information available.RID/ADR No information available.

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 90/492/EEC

Hazard Symbol(s): Not available. Risk Phrase(s): Not available.

Safety Phrase(s): S 24/25 Avoid contact with skin and eyes.

16. OTHER INFORMATION

The information provided in this material safety data sheet is correct to the best of our knowledge. No warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Chanjao Longevity assumed no responsibility for any personal injury or property damage caused by the materials. Users assume all risks associated with the use of the materials.