## MATERIAL SAFETY - Wrinkle-Fill<sup>™</sup> (L-Tyrosine)

## 1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY INFORMATION

Product Name:	Wrinkle-Fill™ (L-Tyrosine)
Supplier:	Chanjao Longevity Co., Ltd. 375 Pattanakarn Road, Bangkok 10250 Thailand
Emergency Phone No.:	+662-002-7-002
Fax No.:	+662-001-7-022

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Composition (%)
N-Acetyl L-Tyrosine	537-55-3	100

## 3. HAZARD IDENTIFICATION

The toxicological properties of this material have been investigated. The material may cause irritation on susceptible persons upon contacts.

## 4. FIRST AID MEASURES

Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.
Skin Contact:	Flush skin with plenty of soap and water – get medical attention if irritation occurs.
Inhalation:	Remove from exposure ad move to fresh air immediately
Ingestion:	Do not induce vomiting. Rinse mouth and drink plenty of milk or water
Notes to Physician:	None

## MATERIAL SAFETY - Wrinkle-Fill<sup>™</sup> (L-Tyrosine)

## 5. FIRE FIGHTING MEASURES

## **General Information:**

This product is noncombustible. If involved in a fire, extinguishing agents suitable for surrounding materials should be use. This product is noncombustible. If involved in a fire, extinguishing agents suitable for surrounding materials should be use.

## Extinguishing Media:

Dry Chemical, Carbon Dioxide, Foam.

## 6. ACCIDENTAL RELEASE MEASURES

## **General Information:**

Use proper personal protective equipment as indicated in Section 8. **Spills/Leaks:** Absorb onto an inert, absorbent substrate and sweep up. Wash area with soap and water.

## 7. HANDLING AND STORAGE

### Handling:

Keep away from oxidizing agents, excessive heat and sources of ignition. **Storage:** Store under cool temperature, in a sealed container in a well-ventilated area. Avoid sunlight.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protection: Eyes: Skin:	Wear safety glasses and googles if splashing is possible. Wear appropriate protective gloves and clothing to prevent skin exposure.
Clothing:	Wear appropriate protective clothing to minimize contact with skin.
Respirators:	Wear a standard lab respirator.

## MATERIAL SAFETY - Wrinkle-Fill™ (L-Tyrosine)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	
Odor:	
Specific Gravity:	
Vapor Pressure:	
Boiling Point:	
Flash Point:	
Solubility in water:	

Crystalline, white. Not available Not available. Not available. Not available. Not available. Soluble

## **10. STABILITY AND REACTIVITY**

## Stability:

This product is stable at ambient temperatures and atmospheric pressures. It is not self-reactive and is not sensitive to physical impact.

### Conditions to Avoid:

Incompatible materials.

## Incompatibilities:

This product is incompatible with strong oxidizers.

## **11. TOXICOLOGICAL INFORMATION**

Substance is generally non-toxic and non-irritant but over-exposure can be hazardous. LD50/LC50: Not established. Carcinogenicity: Not available.

## **12. ECOLOGICAL INFORMATION**

Information not fully known. However, high concentration in water can pose risks.

## MATERIAL SAFETY - Wrinkle-Fill<sup>™</sup> (L-Tyrosine)

#### **13. DISPOSAL CONSIDERATION**

### Waste from Residue/Unused Products:

Dispose of in a manner consistent with federal, state, and local regulations. This compound is NOT on the EPA Toxic Substances Control Act (TSCA) inventory list.

## 14. TRANSPORT REGULATIONS

ΙΑΤΑ	No information available.
IMO	No information available.
RID/ADR	No information available.

### **15. REGULATORY INFORMATION**

This material is intended to be used as a cosmetic ingredient.Hazard Symbol(s):Not available.Risk Phrase(s):Not available.

## **16. OTHER INFORMATION**

The information provided in this material safety data sheet is correct to the best of our knowledge. No warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Chanjao Longevity assumed no responsibility for any personal injury or property damage caused by the materials. Users assume all risks associated with the use of the materials.